Oydo

design by
Francesco Rota

discover more

Oydo

Dal disegno leggero ed essenziale i tavolini Oydo si caratterizzano per la forte versatilità, perfetti per arredare ambienti domestici, dal living alla zona notte usati come discreti comodini, si inseriscono con la loro grazia leggera anche in raffinati spazi contract.
I tavolini Oydo sono proposti con piano tondo, rettangolare, quadrato e in diverse altezze. Le numerose finiture disponibili, tra cui anche marmo ricostruito e marmo e pietre, lucido e opaco, contribuiscono a definirne la decisa carica espressiva.

With their sleek, simple design, the highly versatile Oydo side tables are perfect for furnishing any domestic space, from the living room to the bedroom, where they can be used as discreet bedside tables. Moreover, their understated elegance means they are perfected for sophisticated contract projects too.
The Oydo side tables are available with a round, rectangular, square top and different heights. Meanwhile, the wide range of finishes available, including reconstructed marble, marble and stone, gloss and matt lacquered, help to increase the expressive possibilities of the collection.

Biografia designer
Designer biography

Francesco Rota
Si laurea in disegno industriale all' Art Center College of Design a La Tour Peliz - Svizzera nel 1994. Apre il suo studio nel 1998 e progetta in diversi settori del mondo del design, prodotti, arredi, illuminazione, show-room, uffici, case private ed allestimenti.

Francesco Rota
Graduated in industrial design from the Art Centre College of Design at La Tour Peliz - Switzerland in 1994. He opened his own studio in 1998, where began working in different areas of the design world to include products, furniture, lighting, showrooms, offices, private homes and outfitting.

Informazioni tecniche
Technical information

Ø600 H. 370
Ø23½" H. 14½"

Ø900 H. 370
Ø35½" H. 14½



L.800 H. 280 P. 800
W.31½" H. 11" D. 31½"



L.1600 H. 280 P. 860
W.63" H. 11" D. 33¾"

Piano laccato opaco - laccato lucido - essenza - marmo ricostruito - argilla
Materiale: MDF CARB ATCM PHASE II / U.S. EPA TSCA Title VI.

Spessore: 35 mm

Finitura: laccato opaco/ lucido sui 2 lati, argilla, rovere termotrattato, marmo ricostruito

Piano marmo
Materiale: marmo - pietra

Spessore: 20 mm

Finitura: lucido - opaco

Sottopiano per marmo e pietra
Materiale: pannello melaminico composto da particelle di legno principalmente pioppo e abete CARB ATCM PHASE II / U.S. EPA TSCA Title VI

Spessore: 14 mm

Bordo: ABS 10/10

Base
Materiale: ferro

Finitura: smalto di colore bronzo a base acrilica, anodizzato a forno, con elevata resistenza alle abrasioni.

Piedino
Materiale: alluminio tornito con regolabile +/- 5 mm completo di scivolo in tecnopolimero nero

Essenza - impiallacciatura - rovere termotrattato

La verniciatura avviene mediante vernici acriliche (in assenza di formaldeide) ad elevata reticolazione che non contengono metalli pesanti (Pb, Cd, Cr). Questa tipologia di verniciatura, dalle elevate prestazioni chimico fisiche, consente al prodotto finito di esaltare le peculiarità del legno, mantenendo inalterate le sfumature cromatiche e conferendo al prodotto stesso un delicato effetto soft touch.

Opacità medie:
rovere termotrattato – 3 gloss

Nota
L'utilizzo di legno massello, di essenze pregiate e la particolarità delle lavorazioni, conferiscono ad ogni singolo pezzo valore di unicità. Differenze nella venatura, eventuali variazioni di colore e di tonalità, anche nel passare del tempo, sono da considerarsi peculiarità della realizzazione in legno naturale e non difetti del prodotto stesso.

Matt lacquered - glossy lacquered - wood - reconstructed marble - clay top
Material: MDF CARB ATCM PHASE II / U.S. EPA TSCA Title VI.

Thickness: 35 mm

Finish: matt/glossy lacquered on two sides, clay, heat-treated oak, reconstructed marble

Marble top
Material: marble - stone

Thickness: 20 mm

Finish: glossy - matt

Undertop for marble and stone
Material: melamine panel composed of wood particles mainly of poplar and fir CARB ATCM PHASE II / U.S. EPA TSCA Title VI

Thickness: 14 mm

Edging: ABS 10/10

Base
Material: iron

Finish: kiln fired, bronze coloured, acrylic glaze,oven anodized, that is highly resistant to abrasions.

Ferrules
Material: turned aluminium with adjustable +/- 5mm complete with slide in black technopolymer

Wood - veneer - heat-treated oak

Highly cross-linked UV acrylic coatings and urethane acrylics (with no formaldehyde) containing no heavy metals (Pb, Cd, Cr). Due to its outstanding chemical and physical properties, this type of coating enhances the particular features of the wood, while retaining its original colouring and confering a delicate, soft-touch effect to the product.

Average opacity:
heat-treated oak - gloss 3

Note
The use of select woods and a particular manufacturing process make each product unique. Any differences in the veining or any changes in tone or colour that may occur over time should not be seen as imperfections, but as characteristics of the natural materials employed.

Informazioni tecniche
Technical information

Laccatura opaca

La verniciatura avviene mediante vernici poliuretaniche e acriliche U.V. ad elevato residuo secco che non contengono metalli pesanti (Pb, Cd, Cr). I coloranti consistono di vernici poliuretaniche a pigmentazione naturale. Microsfere di poliammide µm 30 di diametro medio conferiscono al prodotto una gradevole rugosità e una notevole resistenza al graffio.

Opacità medie:
laccato sablè: 7-9 gloss
laccato liscio: 16-22 gloss

Verniciatura in finitura marmorea

La finitura è ottenuta da una mescola di polveri micronizzate di marmo con aggreganti liquidi di natura acrilica base acqua. Il prodotto finito ha caratteristiche molto simili a quelle del marmo. Il procedimento di applicazione è del tutto manuale e ottenuto attraverso l'uso della spatola. Ne consegue che eventuali diversità cromatiche e la possibile disomogeneità non sono da interpretare quali cause di difetto, ma sono caratteristica peculiare della finitura stessa. La superficie ottenuta è ulteriormente protetta da una verniciatura acrilica trasparente base acqua, che consente una discreta resistenza al graffio e agli agenti chimici, in particolar modo di natura alimentare.

Nota
La superficie deve essere trattata con estrema cura, al fine di evitare danni da assorbimento o danni meccanici.

Verniciatura in finitura argilla

La finitura superiore è realizzata in particelle di terra cruda 100% stese mediante un processo di spatolatura che conferisce al prodotto stesso carattere di unicità. Il procedimento di applicazione è del tutto manuale e ottenuto attraverso l'uso della spatola. Ne consegue che eventuali diversità cromatiche e la possibile disomogeneità non sono da interpretare quali cause di difetto, ma sono caratteristica peculiare della finitura stessa. La finitura argillosa ottenuta è protetta da una verniciatura acrilica e da una verniciatura nano-molecolare trasparenti, che consentono alla superficie di avere una discreta resistenza al graffio e agli agenti chimici, in particolar modo di natura alimentare.

Nota
La superficie deve essere trattata con estrema cura, al fine di evitare danni da assorbimento o danni meccanici.

Finitura SHIELD® marmo e pietra

La finitura del piano levigato opaco con trattamento SHIELD® garantisce alle pietre un elevato livello di protezione dalle impurità e dagli agenti aggressivi. SHIELD® è un film sottilissimo di silice, invisibile, impermeabile ai maggiori composti organici in commercio e idoneo al contatto con gli alimenti.

Matt lacquered

Catalysed polyurethane and acrylic U.V. coatings containing no heavy metals (Pb, Cd, Cr). The pigments used for the lacquers are organic with high degree of light fastness. Polyamide beads with an average diameter of 30 µm give the product a pleasant roughness and make it highly resistant to scratching.

Average opacity:
lacquered sablé: gloss 7-9
plain lacquered: gloss 16-22

Painting in marble finish

The finishing is obtained from a mixture of micronised marble powders combined with water-based acrylic liquid binders. The finished product has characteristics that are very similar to those of marble. The application process is entirely manual and is obtained through the use of the spatula. As a result, any chromatic diversity and possible changes in shade are not to be interpreted as defects, but instead as distinguishing signs of the finish itself. The surface obtained is further protected by a waterbased transparent acrylic painting, which allows good scratch-resistance and resistance to chemical agents, in particular, those of food.

Note
The surface has to be treated with extreme care, in order to avoid damage from absorption or mechanical damage.

Painting in clay finish

The top finish is composed of particles of 100% raw clay, spread through a spatulated process, which gives the product itself a character of uniqueness. The application process is entirely manual and is obtained through the use of the spatula. As a result, any chromatic diversity and possible changes in shade are not to be interpreted as defects, but instead as distinguishing signs of the finish itself. The clay surface obtained is further protected by an acrylic paint and by a nano-molecular transparent paint, which allow the surface to have good scratchresistance and resistance to chemical agents, in particular, those of food.

Note
The surface has to be treated with extreme care, in order to avoid damage from absorption or mechanical damage.

Finish SHIELD® marble and stone

The finish of the matt smoothed top with SHIELD® treatment guarantees to the stones a high level of protection from impurities and aggressive agents. SHIELD® is a very fine film of silica, invisible, impermeable to the majority of organic compounds on the market and suitable to contact with food.

Consigli per la manutenzione e la pulizia
Care and cleaning

Pannelli
Per la pulizia ordinaria usare un panno inumidito con acqua. Nel caso di pulizie più accurate si consiglia l'uso di detergenti a base di sapone neutro.

Avvertenza
Evitare assolutamente prodotti a base di ammoniaca solventi o abrasivi.

Parti metalliche
Usare un panno inumidito con acqua.

Avvertenza
Evitare assolutamente prodotti a base di ammoniaca solventi o abrasivi.

Sicurezza
Seguire le istruzioni di montaggio. Evitare qualsiasi modifica che possa comprometterne la stabilità.

Smaltimento
Una volta terminato l'utilizzo affidare il mobile ad aziende comunali o private preposte allo smaltimento dei rifiuti solidi ingombranti.

Panels
For routine cleaning, use a soft cloth moistened with water. For more thorough cleaning use a neutral detergent.

Caution
Avoid any use of products that may contain ammonia, solvents or abrasives.

Metal parts
Use a cloth moistened with water.

Caution
Avoid any use of products that may contain ammonia, solvents or abrasives.

Safety
Carefully follow the assembly instructions. Do not modify the furniture in any way as this could render it unstable.

Disposal
If product needs to be disposed of, please contact the local council or a private company that can dispose of bulk waste products.

Qualità e sostenibilità
Quality and sustainability

Tutti i prodotti della collezione Lema prevedono l'impiego di materiali selezionati di prima qualità. L'intero processo produttivo si avvale di tecnologie d'avanguardia, a garanzia di una elevata qualità estetica, resistenza e durata nel tempo. Le lavorazioni di finitura sono realizzate con l'ausilio di tecniche innovative e con prodotti altamente performanti, nel rispetto dei più severi protocolli internazionali e delle normative CEE / EAC in materia.
In ultimo, le certificazioni UNI ISO 9001:2015 - UNI ISO 45001:2023 delineano in modo trasparente la complessa procedura gestionale dell'Azienda e del consumatore.

Conformità ambientale

LEMA adotta procedure e materiali conformi alle normative applicabili in materia ambientale e di sicurezza dei prodotti.Tutti i pannelli che costituiscono in larga parte "l'ossatura" del mobile sono prodotti certificati secondo la classe E1/2 (REG.UE 2023/1464 EN 717 EN 120, UNI EN 13986, UNI EN 717-1, UNI EN 120, UNI EN 717-2) e secondo le normative CARB ATCM PHASE II/U.S. EPA TSCA TITLE VI. Queste certificazioni normano secondo i più restrittivi protocolli internazionali il contenuto di formaldeide.
L'impiego di essenze legnose è limitato alle specie di coltivazione e non vi è impiego di tipologie provenienti da deforestazione.

I materiali

Le essenze legnose, il massello, le pelli, il gres, le argille, i marmi e le pietre sono materiali che Lema tratta con la sapiente cura della più antica tradizione artigianale brianzola. Materiali di grande qualità, ulteriormente esaltati da finiture che ne mantengono inalterate le caratteristiche di origine, il colore e le sfumature. Ciò che abitualmente si chiama il "vissuto della materia", ossia tutte quelle peculiarità distintive di ogni materiale (variazioni cromatiche incontrollate, cicatrici sulla pelle ecc...), non è da considerarsi come difetto ma è testimone di un prodotto unico e di alto valore qualitativo.

FSC®

Lema è in grado di realizzare, su richiesta, prodotti provvisti del certificato FSC®. Il Forest Stewardship Council® (FSC®) è un'organizzazione internazionale non governativa che promuove una gestione responsabile delle foreste del mondo rispettosa dell'ambiente, socialmente utile ed economicamente sostenibile. FSC® è una ONG internazionale, indipendente e senza scopo di lucro,che include tra i suoi membri, gruppi ambientalisti e sociali, comunità indigene, proprietari forestali, industrie che lavorano e commerciano il legno, scienziati e tecnici che operano insieme per migliorare la gestione delle foreste in tutto il mondo.

FSC www.fsc.org
The mark of responsible forestry
FSC® C108778

FSC® si dedica alla promozione della gestione responsabile delle foreste del mondo.

All the products of the Lema collection involve the use of selected materials of the highest quality. The entire production process uses cutting-edge technologies, which are a guarantee of their high aesthetic quality, strength and durability. The finishing processes are carried out with the help of innovative techniques and with high-performance products, in compliance with the strictest international protocols and relevant EEC / EAC regulations. Finally, the UNI ISO 9001:2015 - UNI ISO 45001:2023 certifications transparently delineate the Company's complex management procedure and respect for the consumer.

Environmental Compliance

LEMA adopts procedures and materials that comply with all applicable environmental and product safety regulations.
All panels, which make up the majority of the furniture's structural framework, are certified in accordance with E1/2 emission class requirements (EU Regulation 2023/1464, EN 717, EN 120, UNI EN 13986, UNI EN 717-1, UNI EN 120, UNI EN 717-2) and comply with CARB ATCM Phase II and U.S. EPA TSCA Title VI standards. These certifications ensure compliance with the most stringent international protocols governing formaldehyde emissions.
The use of wood veneers and timber is limited to species sourced from cultivated forests, and no materials derived from deforestation are used.

Materials

Wood finishes, solid wood, leathers, stoneware, clays, marbles and stone - these are the materials that Lema treats with the skilful care of the most antique artisanal tradition of Brianza. Materials of great quality, further enhanced by finishes that keep their original characteristics unaltered; their colour, their gradient. All that is usually considered the "life of the materials", that is all those distinctive peculiarities of each single material (natural chromatic variations, scars in the leather ...), not to be considered as a defect but as a typical mark, in a high quality value and unique product.

FSC®

Lema is able to produce, on request, products with the FSC® certificate. The Forest Stewardship Council® (FSC®) is an international non-governmental organization that promotes responsible forest management in the world that is environmentally friendly, socially useful and economically sustainable. FSC® is an international, independent non-profit NGO, which includes among its members environmental and social groups, indigenous communities, forest owners, industries that process and trade wood, scientists and technicians who work together to improve forest management around the world.

FSC www.fsc.org
The mark of responsible forestry
FSC® C108778

FSC® is dedicated to promoting responsible management of the world's forests.

Avvertenza
Notice

In ottemperanza alle disposizioni del Decreto Legislativo n. 206 del 6 settembre 2005 "Codice del consumo" e s.m.i.
Regolamento Sicurezza dei Prodotti UE 2023/988.

La qualità Lema è garantita dalla produzione esclusivamente realizzata in Italia.

In compliance with the provisions of Legislative Decree N° 206 dated 06/09/2005 (Consumer Code) and subsequent amendments and additions.
Product Safety Regulation (EU 2023/988).

The quality of Lema products is guaranteed by their being produced exclusively in Italy.

Associato a – Associated with

FEDERLEGNOARREDO

LEMA s.p.a.

22040 Alzate Brianza
Como – Italy
Strada Statale Briantea n°2
T +39 031 630 990
F +39 031 632 492